

/ Revised record

[illegible]

/ Features

3.3~330V

/ Applications

1W

/ Pinning



PIN	DESCRIPTION
1	Call center

Technical drawing of a mechanical part showing dimensions in mm and mils. The part consists of two main rectangular sections. The left section has a width of 1.8 (71) and a height of 1.8 (71). The right section has a width of 1.8 (71) and a height of 1.8 (71). The distance between the two sections is 2.5 (101). The total width of the part is 6.1 (243). The total height of the part is 1.8 (71). The dimensions are given in mm (mm) and mils (mils).

Unit : mm (mil)

1 7

参数	符号	数值	单位
			°
			°

/ Electrical Characteristics(Ta=25)


[illegible]

3 7



/ Electrical Characteristic Curve


Fig.1 Maximum Continuous Power






/ Package Dimensions

SMA





/ Marking Instructions



728A


1

3

728A



() /



± °C ± °C ± °C ± °C

/ Resistance to Soldering Heat Test Conditions

± °C ± °C ± °C ± °C

/ Packaging SPEC.

封装形式	包装数量					包装尺寸		
	Units/Reel 只/卷盘	Reels/Inner Box 卷盘/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Reel	Inner Box 盒	Outer Box 箱
						"		

/ Notices