

修订记录 / Revised record


[illegible]

描述 / Descriptions

特征 / Features

用途 / Applications

内部等效电路 / Equivalent Circuit



引脚排列 / Pinning




放大及印章代码 / h_{FE} Classifications & Marking

	~	~	~

BC858


电参数曲线图 / Electrical Characteristic Curve



外形尺寸图 / Package Dimensions


SOT-223

单位: mm




Dimensions In Millimeters			Dimensions In Millimeters			Dimensions In Millimeters		
Min	Max	Symbol	Min	Max	Symbol	Min	Max	Symbol
2.2	2.7	C	1.30	Max		1.1	1.3	L
0.45	0.65	C1	0.90	1.20		0.45	0.65	L1
1.15	1.50	C2	0.25	0.35		0.45	0.65	L2
0.45	0.65	C3	0.25	0.35		0.45	0.65	L3
0.45	0.65	C4	0.25	0.35		0.45	0.65	L4
0.45	0.65	C5	0.25	0.35		0.45	0.65	L5
0.45	0.65	C6	0.25	0.35		0.45	0.65	L6
0.45	0.65	C7	0.25	0.35		0.45	0.65	L7
0.45	0.65	C8	0.25	0.35		0.45	0.65	L8
0.45	0.65	C9	0.25	0.35		0.45	0.65	L9
0.45	0.65	C10	0.25	0.35		0.45	0.65	L10
0.45	0.65	C11	0.25	0.35		0.45	0.65	L11
0.45	0.65	C12	0.25	0.35		0.45	0.65	L12
0.45	0.65	C13	0.25	0.35		0.45	0.65	L13
0.45	0.65	C14	0.25	0.35		0.45	0.65	L14
0.45	0.65	C15	0.25	0.35		0.45	0.65	L15
0.45	0.65	C16	0.25	0.35		0.45	0.65	L16
0.45	0.65	C17	0.25	0.35		0.45	0.65	L17
0.45	0.65	C18	0.25	0.35		0.45	0.65	L18
0.45	0.65	C19	0.25	0.35		0.45	0.65	L19
0.45	0.65	C20	0.25	0.35		0.45	0.65	L20
0.45	0.65	C21	0.25	0.35		0.45	0.65	L21
0.45	0.65	C22	0.25	0.35		0.45	0.65	L22
0.45	0.65	C23	0.25	0.35		0.45	0.65	L23
0.45	0.65	C24	0.25	0.35		0.45	0.65	L24
0.45	0.65	C25	0.25	0.35		0.45	0.65	L25
0.45	0.65	C26	0.25	0.35		0.45	0.65	L26
0.45	0.65	C27	0.25	0.35		0.45	0.65	L27
0.45	0.65	C28	0.25	0.35		0.45	0.65	L28
0.45	0.65	C29	0.25	0.35		0.45	0.65	L29
0.45	0.65	C30	0.25	0.35		0.45	0.65	L30
0.45	0.65	C31	0.25	0.35		0.45	0.65	L31
0.45	0.65	C32	0.25	0.35		0.45	0.65	L32
0.45	0.65	C33	0.25	0.35		0.45	0.65	L33
0.45	0.65	C34	0.25	0.35		0.45	0.65	L34
0.45	0.65	C35	0.25	0.35		0.45	0.65	L35
0.45	0.65	C36	0.25	0.35		0.45	0.65	L36
0.45	0.65	C37	0.25	0.35		0.45	0.65	L37
0.45	0.65	C38	0.25	0.35		0.45	0.65	L38
0.45	0.65	C39	0.25	0.35		0.45	0.65	L39
0.45	0.65	C40	0.25	0.35		0.45	0.65	L40
0.45	0.65	C41	0.25	0.35		0.45	0.65	L41
0.45	0.65	C42	0.25	0.35		0.45	0.65	L42
0.45	0.65	C43	0.25	0.35		0.45	0.65	L43
0.45	0.65	C44	0.25	0.35		0.45	0.65	L44
0.45	0.65	C45	0.25	0.35		0.45	0.65	L45
0.45	0.65	C46	0.25	0.35		0.45	0.65	L46
0.45	0.65	C47	0.25	0.35		0.45	0.65	L47
0.45	0.65	C48	0.25	0.35		0.45	0.65	L48
0.45	0.65	C49	0.25	0.35		0.45	0.65	L49
0.45	0.65	C50	0.25	0.35		0.45	0.65	L50
0.45	0.65	C51	0.25	0.35		0.45	0.65	L51
0.45	0.65	C52	0.25	0.35		0.45	0.65	L52
0.45	0.65	C53	0.25	0.35		0.45	0.65	L53
0.45	0.65	C54	0.25	0.35		0.45	0.65	L54
0.45	0.65	C55	0.25	0.35		0.45	0.65	L55
0.45	0.65	C56	0.25	0.35		0.45	0.65	L56
0.45	0.65	C57	0.25	0.35		0.45	0.65	L57
0.45	0.65	C58	0.25	0.35		0.45	0.65	L58
0.45	0.65	C59	0.25	0.35		0.45	0.65	L59
0.45	0.65	C60	0.25	0.35		0.45	0.65	L60
0.45	0.65	C61	0.25	0.35		0.45	0.65	L61
0.45	0.65	C62	0.25	0.35		0.45	0.65	L62
0.45	0.65	C63	0.25	0.35		0.45	0.65	L63
0.45	0.65	C64	0.25	0.35		0.45	0.65	L64
0.45	0.65	C65	0.25	0.35		0.45	0.65	L65
0.45	0.65	C66	0.25	0.35		0.45	0.65	L66
0.45	0.65	C67	0.25	0.35		0.45	0.65	L67
0.45	0.65	C68	0.25	0.35		0.45	0.65	L68
0.45	0.65	C69	0.25	0.35		0.45	0.65	L69
0.45	0.65	C70	0.25	0.35		0.45	0.65	L70
0.45	0.65	C71	0.25	0.35		0.45	0.65	L71
0.45	0.65	C72	0.25	0.35		0.45	0.65	L72
0.45	0.65	C73	0.25	0.35		0.45	0.65	L73
0.45	0.65	C74	0.25	0.35		0.45	0.65	L74
0.45	0.65	C75	0.25	0.35		0.45	0.65	L75
0.45	0.65	C76	0.25	0.35		0.45	0.65	L76
0.45	0.65	C77	0.25	0.35		0.45	0.65	L77
0.45	0.65	C78	0.25	0.35		0.45	0.65	L78
0.45	0.65	C79	0.25	0.35		0.45	0.65	L79
0.45	0.65	C80	0.25	0.35		0.45	0.65	L80
0.45	0.65	C81	0.25	0.35		0.45	0.65	L81
0.45	0.65	C82	0.25	0.35		0.45	0.65	L82
0.45	0.65	C83	0.25	0.35		0.45	0.65	L83
0.45	0.65	C84	0.25	0.35		0.45	0.65	L84
0.45	0.65	C85	0.25	0.35		0.45	0.65	L85
0.45	0.65	C86	0.25	0.35		0.45	0.65	L86
0.45	0.65	C87	0.25	0.35		0.45	0.65	L87
0.45	0.65	C88	0.25	0.35		0.45	0.65	L88
0.45	0.65	C89	0.25	0.35		0.45	0.65	L89
0.45	0.65	C90	0.25	0.35		0.45	0.65	L90
0.45	0.65	C91	0.25	0.35		0.45	0.65	L91
0.45	0.65	C92	0.25	0.35		0.45	0.65	L92
0.45	0.65	C93	0.25	0.35		0.45	0.65	L93
0.45	0.65	C94	0.25	0.35		0.45	0.65	L94
0.45	0.65	C95	0.25	0.35		0.45	0.65	L95
0.45	0.65	C96	0.25	0.35		0.45	0.65	L96
0.45	0.65	C97	0.25	0.35		0.45	0.65	L97
0.45	0.65	C98	0.25	0.35		0.45	0.65	L98
0.45	0.65	C99	0.25	0.35		0.45	0.65	L99
0.45	0.65	C100	0.25	0.35		0.45	0.65	L100

印章说明 / Marking Instructions



H
3J

回流焊温度曲线图(无铅) / Temperature Profile for IR Reflow Soldering(Pb-Free)



± ± ± ±