



$\leq \Omega \quad \Omega$

DC/DC




|  |   |  |  |
|--|---|--|--|
|  |   |  |  |
|  |   |  |  |
|  |   |  |  |
|  |   |  |  |
|  |   |  |  |
|  |   |  |  |
|  |   |  |  |
|  |   |  |  |
|  |   |  |  |
|  | θ |  |  |
|  | θ |  |  |


|  |  |   |  |  |  |   |
|--|--|---|--|--|--|---|
|  |  |   |  |  |  |   |
|  |  | μ |  |  |  |   |
|  |  |   |  |  |  | μ |
|  |  |   |  |  |  |   |
|  |  | μ |  |  |  |   |
|  |  |   |  |  |  | Ω |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  | Ω |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  |   |




|  |  |   |  |  |  |  |
|--|--|---|--|--|--|--|
|  |  |   |  |  |  |  |
|  |  | Ω |  |  |  |  |
|  |  |   |  |  |  |  |
|  |  |   |  |  |  |  |
|  |  |   |  |  |  |  |
|  |  |   |  |  |  |  |
|  |  |   |  |  |  |  |
|  |  |   |  |  |  |  |
|  |  | μ |  |  |  |  |
|  |  |   |  |  |  |  |




1. Drain-Source On-Resistance vs. Junction Temperature




2. Breakdown Voltage vs. Junction Temperature




4. Drain Current vs. Gate-Source Voltage




3. Drain Current vs. Drain-Source Voltage



5. Safe Operating Area




6. Drain Current vs. Junction Temperature



单位: mm


| Symbol | Dimensions In Millimeters |       | Symbol | Dimensions In Millimeters |      |
|--------|---------------------------|-------|--------|---------------------------|------|
|        | Min                       | Max   |        | Min                       | Max  |
| A      | 2.25                      | 2.40  | E      |                           |      |
| B      | 0.95                      | 1.25  | e1     |                           |      |
| L1     | 9.85                      | 10.35 | e2     | 0.45                      | 0.55 |
| L3     | 0.45                      | 0.55  | D      | 1.30                      | 2.00 |
| K      | 0.60                      | 0.90  | D1     |                           |      |
|        | 5.10                      | 5.50  |        |                           |      |

TO-252



7N45

\*\*\*\*\*



± ± ± ±

± ±

|  | Units/Reel<br>/ | Reels/Inner Box<br>/ | Units/Inner Box<br>/ | Inner Boxes/Outer Box<br>/ | Units/Outer Box<br>/ | Reel | Inner Box | Outer Box |
|--|-----------------|----------------------|----------------------|----------------------------|----------------------|------|-----------|-----------|
|  |                 |                      |                      |                            |                      |      |           |           |

|  | Units/Tube<br>/ | Tubes/Inner Box<br>/ | Units/Inner Box<br>/ | Inner Boxes/Outer Box<br>/ | Units/Outer Box<br>/ | Tube | Inner Box | Outer Box |
|--|-----------------|----------------------|----------------------|----------------------------|----------------------|------|-----------|-----------|
|  |                 |                      |                      |                            |                      |      |           |           |